

Appendix to Certificate of Approval

Appendix Number: ENP427c Issue: 3

Rockpanel

Konstruktieweg 2
6045 JD Roermond
The Netherlands

Characterised and normalised data for:

External Wall Construction: Rainscreen cladding on steel frame with block infill (ex wall type 7.1a)
Rockpanel Durable and timber battens, breather membrane, insulation, structural steel frame, medium dense solid blockwork with cement mortar, plasterboard on battens, paint

1 m² over 60-year study period

Quality of data for profiled material

Start date	01/01/2017
End Date	31/12/2017
Representativeness	1 site representing 100% production
LCA Methodology	BRE Environmental Profiles Methodology 2008
Allocation	100% to product
Date of data entry	18/02/2021
Boundary	Cradle to Grave over 60-year study period
Applicable buildings	All building types
Source of data	Company records
Geography	NL

(Data for other constituent materials are available from BRE Global)

BRE Ecopoints score: 0.516 Ecopoints

This certificate appendix is maintained and held in force through annual review and verification.

Signed for BRE Global Ltd.

Emma Baker

Scheme Manager

13 May 2021

Date of Issue

12 May 2024

Expiry Date



This certificate appendix remains the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.greenbooklive.com/terms).

To check the validity of this certificate please visit www.greenbooklive.com/check, scan the QR Tag, or contact us.

BRE Global Ltd., Garston, Watford WD25 9XX.
T: +44 (0)333 321 8811 E: Enquiries@breglobal.com



Appendix No: ENP427c

Issue: 3

Rockpanel

Konstruktieweg 2
6045 JD Roermond
The Netherlands

External Wall Construction: Rainscreen cladding on steel frame with block infill (ex wall type 7.1a)

Rockpanel Durable and timber battens, breather membrane, insulation, structural steel frame, medium dense solid blockwork with cement mortar, plasterboard on battens, paint
1 m² over 60-year study period

Characterised Data

Issue	Value	Unit
Climate Change	99.1	kg CO ₂ eq. (100 yr.)
Water Extraction	0.726	m ³
Mineral Resource Extraction	0.172	tonnes
Stratospheric Ozone Depletion	0.000089	kg CFC11 eq.
Human Toxicity	45.6	kg 1,4-DB eq.
Ecotoxicity to Freshwater	4.74	kg 1,4-DB eq.
Nuclear Waste (higher level)	0.000000106	m ³ high level waste
Ecotoxicity to Land	0.175	kg 1,4-DB eq.
Waste Disposal	59.1	kg
Fossil Fuel Depletion	1430	MJ
Eutrophication	0.0685	kg PO ₄ eq.
Photochemical Ozone Creation	0.105	kg ethene eq.
Acidification	0.785	kg SO ₂ eq.

Normalised data

Issue	Value	Western European Citizen's Annual Impacts
Climate Change	0.00806	12300 kg CO ₂ eq. (100 yr.)
Water Extraction	0.00192	378 m ³
Mineral Resource Extraction	0.00706	24.4 tonnes
Stratospheric Ozone Depletion	0.00041	0.217 kg CFC11 eq.
Human Toxicity	0.00231	19700 kg 1,4-DB eq.
Ecotoxicity to Freshwater	0.0036	1320 kg 1,4-DB eq.
Nuclear Waste (higher level)	0.00447	2.37 x 10 ⁻⁵ m ³ high level waste
Ecotoxicity to Land	0.00142	123 kg 1,4-DB eq.
Waste Disposal	0.0158	3750 kg
Fossil Fuel Depletion	0.00526	273 GJ
Eutrophication	0.00211	32.5 kg PO ₄ eq.
Photochemical Ozone Creation	0.00487	21.5 kg ethene eq.
Acidification	0.011	71.2 kg SO ₂ eq.

BRE Ecopoints score: 0.516 Ecopoints

This certificate appendix is maintained and held in force through annual review and verification.

Signed for BRE Global Ltd.

Emma Baker

Scheme Manager

13 May 2021

Date of Issue

12 May 2024

Expiry Date



This certificate appendix remains the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.greenbooklive.com/terms).

To check the validity of this certificate please visit www.greenbooklive.com/check, scan the QR Tag, or contact us.

BRE Global Ltd., Garston, Watford WD25 9XX.
T: +44 (0)333 321 8811 E: Enquiries@breglobal.com

